ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 326 1997

Published by Springer on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman:
A. Maeder (Switzerland)

Vice Chairman:
A. G. Hearn (The Netherlands)

D. Alloin (France)
M. Arnould (Belgium)
M. Breger (Austria)
R. Canal (Spain)
G. di Cocco (Italy)
M. Crézé (France)
J. Einasto (Estonia)
R. Giacconi (ESO)
P. Harmanec (Czech Republic)
W. H. Kegel (Germany)
G. Kovacs (Hungary)
K. Mattila (Finland)
P. E. Nissen (Denmark)
Aa. Sandqvist (Sweden)
A. Stawikowski (Poland)
J. Ventura (Greece)
R. Wielen (Germany)
J. Zverko (Slovak Republic)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France

Tel. (33–1) 43 29 05 41
Fax (33–1) 43 29 05 57
e-mail: aanda@mesiob.obspm.fr (internet)
mesioa:: aanda (span)

H. J. Habing
Astronomy and Astrophysics
Editorial Office
Leiden Observatory
P. O. Box 9513
2300 RA Leiden
The Netherlands

Tel. (31) (0) 71–5 27 59 16
Fax (31) (0) 71–5 27 58 03
e-mail: aanda@strw.leidenuniv.nl

Letter Editor

S. R. Pottasch
Kapteyn Astronomical Institute
P. O. Box 800
9700 AV Groningen
The Netherlands

Tel. (31–50) 3 63 40 93
Telefax (31–50) 3 63 61 00
e-mail: aalet@astro.rug.nl

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot

Mrs. B. Smit
Mrs. M. Wisse

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer 1997
Printed in Germany
Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Volume 326 1997

Contents

Letters to the Editor

On the new triple-mode pulsating variable star GSC 4018.1807
Antipin S. L1

The rotation speed of the companion star in Aquila X–1
Shahbaz T., Casares J., Charles P.A. L5

Do the lensing cross-sections of faint galaxies cover the whole sky?
Zong-Hong Zhu, Xiang-Ping Wu L9

HST Data suggest proper motion for the optical counterpart of GRB 970228
Caraveo P.A., Mignani R.P., Tavani M., Bignami G.F. L13

Detection of WR stars in the metal-poor starburst galaxy IZw 18
Legrand F., Kunth D., Roy J.-R., Mas-Hesse J.M., Walsh J.R. L17

Eccentric giant planets in open star clusters
de la Fuente Marcos C., de la Fuente Marcos R. L21

Correlation between variability time scale and X-ray spectral index in AGN
König M., Staubert R., Wilms J. L25

On the evolutionary status of λ Bootis stars using Hipparcos data
Paunzen E. L29

The radio spectra of galactic nuclei
Böttcher M., Reuter H.-P., Lesch H. L33

On the possibility of a tidally excited low-frequency g^+-mode in 51 Pegasi
Willems B., Van Hoolst T., Smeyers P., Waelkens C. L37

Cosmology

The DUO single lens candidates. I. The 1994 campaign
Alard C., Guibert J. 1

Magnetic fields and large scale structure in a hot universe. I. General equations
Battaner E., Florido E., Jiménez-Vicente J. 13

Post-Newtonian Sachs-Wolfe effect
Linder E.V. 23

Cosmological parametrization of gamma ray burst intensity distribution
Linder E.V. 29

Force equation of the large-scale structure of the Universe
López-Corredoira M. 433

Temporal optimization of Lagrangian perturbation schemes
Karakatsanis G., Buchert T., Melott A.L. 873

Extragalactic astronomy

X-ray/optical analysis of the cluster of galaxies Abell 1300: indications of a post-merger at z = 0.31
Lémonon L., Pierre M., Hunstead R., Reid A., Mellier Y., Böhringer H. 34

Accretion of gaseous disks at high redshifts and the depolarization asymmetry of radio-loud quasars
Gopal-Krishna, Nath B.B. 45

A spectral study of gamma-ray emitting active galactic nuclei
Pohl M., Hartman R.C., Jones B.B., Sreekumar P. 51

Dense gas in nearby galaxies. XI. H_2CO and CH_3OH: molecular abundances and physical conditions
Hüttemeister S., Mauersberger R., Henkel C. 59

Near-infrared photometry of the jet of 3C 273
Neumann M., Meisenheimer K., Röser H.-J. 69

Search for intraday radio variability in EGRET blazars
Romero G.E., Combi J.A., Benaglia P., Azcárate I.N., Cersosimo J.C., Wilkes L.M. 77

Anisotropic illumination of AGN's accretion disk by a non thermal source. I. General theory and application to the Newtonian geometry
Henri G., Petrucci P.O. 87

Anisotropic illumination of AGN's accretion disk by a non thermal source. II. General relativistic effects
Petrucci P.O., Henri G. 99

Observations of the $^{57}Fe^{+23}$ hyperfine transition in clusters of galaxies
Liang H., Dickey J.M., Moorey G., Ekers R.D. 108

On the stability of motion of N-body systems: a geometric approach
El-Zant A.A. 113

Clues on the nature of Compact Steep Spectrum radio sources from optical spectroscopy
Morganti R., Tadhunter C.N., Dickson R., Shaw M. 130

Cepheids as tracers of star formation im M 31. II. NGC 206: evidence for spiral arm interactions
Magnier E.A., Prins S., Augusteijn T., van Paradijs J., Lewin W.H.G. 442

Star formation in bar environments. I. Morphology, star formation rates and general properties
Martin P., Friedli D. 449

Observational signatures of helical galactic magnetic fields
Urbanik M., Elstner D., Beck R. 465

The ESO Slice Projekt (ESP) galaxy redshift survey. II. The luminosity function and mean galaxy density
Zucca E., Zamorani G., Vettolani G., Cappi A., Merighi R., Mignoli M., Stirpe G.M., MacGillivray H., Collins C., Balkowski C., Cayatte V., Maurogordato S., Proust D., Chincarini G., Guzzo L., Maccagni D., Scaramella R., Blanchard A., Ramella M. 477

(RN) Two X-ray clusters close to line of sight of the luminous QSO HS 1700+6416
Reimers D., Toussaint F., Hagen H.-J., Hippelein H., Meisenheimer K. 489

Dynamical spectra of barred galaxies
Patsis P.A., Efthymiopoulos C., Contopoulos G., Voglis N. 493

Gas kinematics of the z=3.8 radiogalaxy 4C 41.17 with TIGER/CFHT
Adam G., Rocca-Volmerange B., Gérard S., Ferruit P., Bacon R. 501

Spectroscopy of ultra-steep spectrum radio sources: a sample of $z > 2$ radio galaxies
Röttgering H.J.A., van Ojik R., Miley G.K., Chambers K.C., van Breugel W.J.M., de Koff S. 505

Blue stars in the center of the S0 galaxy NGC 5102
Deharveng J.-M., Jedrzejewski R., Crane P., Disney M.J., Rocca-Volmerange B. 528

Gas segregation in the interacting system Arp 105
Duc P.-A., Brinks E., Wink J.E., Mirabel I.F. 537

Vertical equilibrium of molecular gas in galaxies
Combes F., Becquaert J-F. 554

A surprising correlation between X-ray and Hα morphologies in early-type galaxies
Trinchieri G., Noris L., di Serego Alighieri S. 565

The radio galaxy 1138–262 at z=2.2: a giant elliptical galaxy at the center of a proto-cluster?
Pentericci L., Röttgering H.J.A., Miley G.K., Carilli C.L., McCarthy P. 580

UV to X-ray spectra of radio-quiet quasars. Comparison with accretion disk models
Brunner H., Müller C., Friedrich P., Dörrer T., Staubert R., Riffert H. 885

Near-infrared surface photometry of spiral galaxies. II. Derivation of mass models
Héraudeau Ph., Simien F. 897

The visible environment of polar ring galaxies
Brocca C., Bettoni D., Galletta G. 907

(RN) Effects of galaxy interaction on the Tully-Fisher relation: CO vs H I linewidths
Tutui Y., Sofue Y. 915

Asymmetric depolarization in double low-luminosity radio galaxies
Morganti R., Parma P., Capetti A., Fanti R., de Ruiter H.R. 919

Evidences for an expanding shell in the blue compact dwarf galaxy Haro 2
Legrand F., Kunth D., Mas-Hesse J.M., Lequeux J. 929

Stellar populations from adaptive optics observations: four test cases
Bedding T.R., Minniti D., Courbin F., Sams B. 936

Decoupled nuclei and nuclear polar rings in regular spiral galaxies NGC 2841
Sil'chenko O.K., Vlasyuk V.V., Burenkov A.N. 941

PEGASE: a UV to NIR spectral evolution model of galaxies. Application to the calibration of bright galaxy counts
Fioc M., Rocca-Volmerange B. 950

Gas and dust in the active spiral galaxy NGC 3079
Braine J., Guélin M., Dumke M., Brouillet N., Herpin F., Wielebinski R. 963

Wolf-Rayet stars detected in five associations of NGC 300
Breysacher J., Azzopardi M., Testor G., Muratorio G. 976

SN 1995ah: The first supernova observed in a blue compact dwarf galaxy
Popescu C.C., Rafanelli P., Benetti S., Hopp U., Birkle K., Elsässer H. 982

Galactic structure and dynamics

The evolution of the C, N, and O isotope ratios from an improved comparison of the interstellar medium with the Sun
Wielen R., Wilson T.L. 139

Stellar populations and inhomogeneities of the galactic plane from DENIS star counts
Ruphy S., Epchtein N., Cohen M., Copet E., de Batz B., Borsenberger J., Fouqué P., Kimeswenger S., Lacombe F., Le Bertre T., Rouan D., Tiphène D. 597

Stellar clusters and associations

The LMC transition star R 84 and the core of the LH 39 OB association
Heydari-Malayeri M., Courbin F., Rauw G., Esslinger O., Magain P. 143

Soft X-ray emission from intermediate-age open clusters: NGC 6940
Belloni T., Tagliaferri G. 608

V, I photometry of the metal-rich bulge globular cluster Terzan 2
Ortolani S., Bica E., Barbuy B. 614

Formation, structure and evolution of stars

Bernoulli's equation and the contact binaries
Hazlehurst J. 155

On the surface condition for stationary contact binaries
Kähler H. 161

Stellar activity and the Wilson-Bappu relation
Elgarøy Ø., Engvold O., Jorås P 165

Rapidly rotating stars with either H burning or He burning core
Shindo M., Hashimoto M., Eriguchi Y., Müller E. 177

RX J2115.7–5840: a short-period, asynchronous polar
Schwope A.D., Buckley D.A.H., O'Donoghue D., Hasinger G., Trümper J., Voges W. 195

Non-linear models for the pulsating post-AGB star SAO 96709: metallic lines
Jeannin L., Fokin A.B., Gillet D., Baraffe I. 203

T Tauri stars and the Gould Belt near Lupus
Wichmann R., Sterzik M., Krautter J., Metanomski A., Voges W. 211

(RN) A new period for the magnetic white dwarf KPD 0253+5052
Friedrich S., König M., Schweizer W. 218

Hipparcos distances of X-ray selected stars: implications on their nature as stellar population?
Micela G., Favata F., Sciortino S. 221

The ROSAT bright source RX J0222.4+4729: an active nearby short-period binary of the BY Draconis type
Chevalier C., Ilovaisky S.A. 228

Multiwavelength studies of β Cephei stars: δ Ceti
Cugier H., Nowak D. 620

(RN) The Status of Nova Orionis 1667
Ringwald F.A., Naylor T. 629

New multiple young stellar objects discovered by near-infrared speckle imaging
Ageorges N., Eckart A., Monin J.-L., Ménard F. 632

Cyclicities in the light variations of LBVs. I. The multi-periodic behaviour of the LBV candidate ζ^1 Sco
Sterken C., de Groot M., van Genderen A.M. 640

On the widespread Weak-Line T-Tauri population detected in the ROSAT All-Sky Survey
Favata F., Micela G., Sciortino S. 647

On the nature of the Am phenomenon or on a stabilization and the tidal mixing in binaries. II. Metallicity and pseudo-synchronization
Budaj J. 655

RX J0720.4-3125: strong evidence for an isolated pulsating neutron star
Haberl F., Motch C., Buckley D.A.H., Zickgraf F.-J., Pietsch W. 662

The nature of strange modes in classical variable stars
Buchler J.R., Yecko P.A., Kolláth Z. 669

The X-ray luminosity of rotation-powered neutron stars
Becker W., Trümper J. 682

(RN) Complex light variations of the "hybrid" PG 1159 star HS 2324+3944
Handler G., Kanaan A., Montgomery M.H. 692

Period changes of AR Lacertae between 1900 and 1989
Jetsu L., Pagano I., Moss D., Rodonò M., Lanza A.F., Tuominen I. 698

Absolute dimensions of eclipsing binaries. XXI. V 906 Scorpii: a triple system member of M 7
Alencar S.H.P., Vaz L.P.R., Helt B.E. 709

Barium stars, galactic populations and evolution
Mennessier M.O., Luri X., Figueras F., Gómez A.E., Grenier S., Torra J., North P. 722

Common envelope evolution and Li in V 471 Tauri
Martín E.L., Pavlenko Y., Rebolo R. 731

The distribution of oxygen on the surface of ϵ UMa: an abundance distribution Doppler image
Rice J.B., Wehlau W.H., Holmgren D.E. 988

On pulsar velocities from neutrino oscillations
Birkel M., Toldrà R. 995

Physics of accretion onto young stars. II. Structure and evolution of accreting stars
Siess L., Forestini M., Bertout C. 1001

The angular momentum evolution of low-mass stars
Bouvier J., Forestini M., Allain S. 1023

Photometric versus empirical surface gravities of eclipsing binaries
Jordi C., Ribas I., Torra J., Giménez A. 1044

Effects of gravity and density stratification on the asymptotic representation of *p*-modes in stars
Willems B., Van Hoolst T., Smeyers P. 1055

(RN) Minutes timescale search for a pulsar in SNR 1987 A
Narita T., Ögelman H., Gouiffes C. 1066

More light on RV Tauri variables
Russell S.C. 1069

On the near-infrared halo of Elias 1
Haas M., Leinert Ch., Richichi A. 1076

Solar-type stars with planetary companions: 51 Pegasi and 47 Ursae Majoris
Fuhrmann K., Pfeiffer M.J., Bernkopf J. 1081

Coupled long-term photometric and V/R variations in Be stars: evidence for prograde global one-armed disk oscillations
Mennickent R.E., Sterken C., Vogt N. 1167

Stellar atmospheres

Emission features in Brα and Brγ spectra of normal O and B stars
Zaal P.A., Waters L.B.F.M., Geballe T.R., Marlborough J.M. 237

Chromospheric models of dwarf M stars
Mauas P.J.D., Falchi A., Pasquini L., Pallavicini R. 249

The gravity-brightening effect and stellar atmospheres. I. Results for models with 3700 K < T_{eff} < 7000 K
Alencar S.H.P., Vaz L.P.R. 257

A study on solar dust ring formation based on fractal dust models
Kimura H., Ishimoto H., Mukai T. 263

Mid infrared spectral observations of UX Orionis
Reimann H.-G., Gürtler J., Friedemann C., Käufl H.U. 271

Spherically symmetric model atmospheres using approximate lambda operators. III. The equations of statistical equilibrium with occupation probabilities
Kubát J. 277

Chromospheric line blanketing and the hydrogen spectrum in M dwarfs
Short C.I., Doyle J.G. 287

Observation of inhomogeneities in the wind of the luminous red supergiant μ Cephei
Mauron N. 300

Circumstellar dust shells around long-period variables. V. A consistent time-dependent model for the extreme carbon star AFGL 3068
Winters J.M., Fleischer A.J., Le Bertre T., Sedlmayr E. 305

A 200 km s^{-1} molecular wind in the peculiar carbon star V Hya
Knapp G.R., Jorissen A., Young K. 318

Accuracy of effective temperatures of solar chemical composition stars derived from the flux fitting method
Malagnini M.L., Morossi C. 736

He I D3 absorption and its relation to rotation and activity in G and K dwarfs
Saar S.H., Huovelin J., Osten R.A., Shcherbakov A.G. 741

Chemical composition of halo and disk stars with overlapping metallicities
Nissen P.E., Schuster W.J. 751

Metallicities of 4 blue supergiants near the Galactic centre
Smartt S.J., Dufton P.L., Lennon D.J. 763

The age-mass relation for chromospherically active binaries. II. Lithium depletion in dwarf components
Barrado y Navascués D., Fernández-Figueroa M.J., García López R.J., De Castro E., Cornide M. 780

On coronal abundances derived with the SAX/LECS and ASCA/SIS detectors
Favata F., Maggio A., Peres G., Sciortino S. 1013

EUV spectroscopy of cool stars. III. Interpretation of EUVE spectra in terms of quasi-static loops
van den Oord G.H.J., Schrijver C.J., Camphens M., Mewe R., Kaastra J.S. 1090

A multiwavelength study of LS II+34^{0}26: a hot post-AGB star in the process of becoming a planetary nebula
García-Lario P., Parthasarathy M., de Martino D., Sanz Fernández de Córdoba L., Monier R., Manchado A., Pottasch S.R. 1103

An analysis of emission lines in the spectrum of P Cygni
Markova N., de Groot M. 1111

A spectroscopic investigation of P Cygni. I. H and He I lines
Najarro F., Hillier D.J., Stahl O. 1117

Zeeman–Doppler imaging of active stars. V. Sensitivity of maximum entropy magnetic maps to field orientation
Donati J.-F., Brown S.F. 1135

Observation and modelling of main sequence stellar chromospheres. VI. H_α and Ca II line observations of M 1 dwarfs and comparison with models
Houdebine E.R., Stempels H.C. 1143

Diffuse matter in space (including H II regions and planetary nebulae)

Millimetre dust emission from northern Bok globules
Launhardt R., Henning Th. 329

A molecular line and infrared study of NGC 2264 IRS 1
Schreyer K., Helmich F.P., van Dishoeck E.F., Henning Th. 347

HCO^+ (J=4–3) mapping of the molecular disk around IRS 7 in Corona Australis
Anderson I.M., Harju J., Haikala L.K. 366

IRAS 12553–7651 in Chamaeleon II: a low mass PMS star with a $C^{18}O$ outflow?
Olmi L., Felli M., Cesaroni R. 373

Simulations of cosmic ray cross field diffusion in highly perturbed magnetic fields
Michałek G., Ostrowski M. 793

The formation of C-shocks: structure and signatures
Smith M.D., Mac Low M.-M. 801

ROSAT spectro-imagery of the North Cygnus Loop
Decourchelle A., Sauvageot J.L., Ballet J., Aschenbach B. 811

Diffuse Interstellar Bands in single clouds: new families and constraints on the carriers
Cami J., Sonnentrucker P., Ehrenfreund P., Foing B.H. 822

Dust scattering and kinematics within the envelope of IRAS 09371+1212
Phillips J.P., Cuesta L. 831

Alfvén wave support of a dwarf molecular cloud. I. An isothermal model
Martin C.E., Heyvaerts J., Priest E.R. 1176

Morphology and expansion characteristics of the planetary nebula M 1-79
Saurer W. 1187

Dynamical evolution of wind-driven H II regions in strong density gradients
Comerón F. 1195

Physical association between the Southern Coalsack and the Chamaeleon-Musca dark clouds
Corradi W.J.B., Franco G.A.P., Knude J. 1215

The Sun

Solar models: influence of equation of state and opacity
Yıldız M., Kızıloğlu N. 187

Granulation and magnetism in the solar atmosphere
Baudin F., Molowny-Horas R., Koutchmy S. 842

Dynamics of the solar granulation. IV. Granular shear flow
Nesis A., Hammer R., Hanslmeier A., Schleicher H., Sigwarth M., Staiger J. 851

Nonlocal communication in self-organising models of solar flare occurrence
MacKinnon A.L., Macpherson K.P. 1228

(RN) Solar rotation inversions and the relationship between a-coefficients and mode splittings
Pijpers F.P. 1235

Absorption of magnetosonic waves in presence of resonant slow waves in the solar atmosphere
Čadež V.M., Csík Á., Erdélyi R., Goossens M. 1241

Triggering of magnetic reconnection in the current sheet by shock waves
Odstrčil D., Karlický M. 1252

Numerical simulations of coronal particle trapping
Fletcher L. 1259

The solar system

On elliptical polarization of the decametric radio emission and the linear mode coupling in the Jovian magnetosphere
Shaposhnikov V.E., Kocharovsky Vl.V., Kocharovsky V.V., Ladreiter H.P., Rucker H.O., Zaitsev V.V. 386

Variation of bulk velocity and temperature anisotropy of neutral heliospheric hydrogen during the solar cycle
Bzowski M., Fahr H.J., Ruciński D., Scherer H. 396

Erratum: A deeper look at resonance trapping
Gomes R.S. 427

The three-fluid structure of the particle modulated solar wind termination shock
Chalov S.V., Fahr H.J. 860

Rotation of comet 46 P/Wirtanen
Meech K.J., Bauer J.M., Hainaut O.R. 1268

Celestial mechanics and astrometry

A statistic for describing pulsar and clock stabilities
Matsakis D.N., Taylor J.H., Marshall Eubanks T. 924

Physical and chemical processes

Radiative lifetimes for the 4p excited states of phosphorus and the oscillator strengths of solar lines
Berzinsh U., Svanberg S., Biémont E. 412

(RN) On the use of nonrelativistic bremsstrahlung cross sections in astrophysics
Haug E. 417

Optics near Kerr black holes: spectra of advection dominated accretion flows
Jaroszyński M., Kurpiewsky A. 419

(RN) N III and N IV line emission following K-shell photoionization
Petrini D., de Araújo F.X. 870

On collimation of the outflows in force-free magnetospheres
Okamoto I. 1277

Abstracts of articles which have been published in A&A Supplement Series 124, No. 3 429

Multi-spectral study of a new sample of blue compact dwarf galaxies. I. *B* and *R* surface photometry of 23 objects from the Byurakan lists
Doublier V., Comte G., Petrosian A., Surace C., Turatto M. 429

The changes in the UV emission lines of RR Telescopii from 1978 to 1993. I. The IUE SWP region
Zuccolo R., Selvelli P., Hack M. 429

Astrometric positions of stars with high proper motions in the Southern Hemisphere
Rousseau J.M., Périé S.P. 429

B[e] stars. IV. HD 45677=MWC 142
Andrillat Y., Jaschek C., Jaschek M. 429

Search for young low-mass stars in a ROSAT selected sample south of the Taurus-Auriga molecular clouds
Magazzù A., Martín E.L., Sterzik M.F., Neuhäuser R., Covino E., Alcalá J.M. 429

SEST observations of southern flat-spectrum radio sources
Beasley A.J., Conway J.E., Booth R.S., Nyman L.Å., Holdaway M. 430

Spectropolarimetry of magnetic stars. VI. Longitudinal field, crossover and quadratic field: New measurements
Mathys G., Hubrig S 430

Absolute parameters for binary systems. I. The active binary BH Virginis
Clement R., Reglero V., Garcia M., Fabregat J., Suso J. 430

The ATCA/VLA OH 1612 MHz survey. II: Observations of the Galactic Disk region
Sevenster M.N., Chapman J.M., Habing H.J., Killeen N.E.B., Lindqvist M. 430

New perceptions on the S Doradus phenomenon and the micro variations of five luminous blue variables (LBVs)
van Genderen A.M., de Groot M., Sterken C. 431

Southern ultraluminous infrared galaxies: An optical and infrared database
Duc P.-A., Mirabel I.F., Maza J. 431

Revised photometric distances to nearby dwarf galaxies in the IC 342/Maffei complex
Karachentsev I., Drozdovsky I., Kajsin S., Takalo L.O., Heinämäki P., Valtonen M. 431

LonGSp: The Gornergrat longslit infrared spectrometer
Vanzi L., Sozzi M., Marcucci G., Marconi A., Mannucci F., Lisi F., Hunt L., Giani E., Gennari S., Biliotti V., Baffa C. 431

Noise reduction in astronomical spectra using wavelet packets
Fligge M., Solanki S.K. 431

Analyzing X-ray variability by linear state space models
König M., Timmer J. 432

CESAM: A code for stellar evolution calculations
Morel P. 432